


Archana Analytical Services

(Consultants for Environment, Health and Safety)

Udhyog Adhar Reg. No. MH15D0001832

Report No: AAS/VPM/DW/July2021	Date of Report	25/07/2021
Client Name and Address: Vithalrao Patil Mahavidyalaya (Arts, Commerce & Science) Kale, Tal-Panhala, Dist-Kolhapur, Maharashtra, 416205	Date of Sampling	20/07/2021
	Start Date of Analysis	20/07/2021
	End Date of Analysis	25/07/2021
	Sample Details	Drinking Water
	Nature of sample	Liquid
Sample Collected By	Archana Analytical Services, Kolhapur.	
Drinking Water Analysis Report		

Sr. No.	Parameter	Reading	Limit	Units	Standard Method
1	pH	7.0	6.5-8.5	--	IS: 3025
2	Colour	<5	5	Hazen	IS: 3025
3	Odour	Agreeable	--	--	IS: 3025
4	Chloride	29.6	250	mg/lit	IS: 3025
5	Sulphate	16.9	200	mg/lit	IS: 3025
6	Total Hardness as CaCO ₃	44.3	300	mg/lit	IS: 3025
7	Total Dissolved solids	91.6	500	mg/lit	IS: 3025
8	Turbidity	<1	5	mg/lit	IS: 3025
9	E-coli	ND	Absent	mg/lit	IS: 1622
Water is suitable for drinking purpose.					
ANALYZED BY-		AUTHORIZED SIGNATORY			
					

Office address

'Sahejanand Appartement' 486/A/2, Jadgadale
Colony, Prathibha Nagar, Kolhapur.416008
Contact: 940555340,
Email:archana.ehs@gmail.com

Laboratory Address

DST-FIST Analytical Instrumentation Laboratory,
Jaysingpur College, Jaysingpur-416101,
Tal-Shirol, Dist-Kolhapur, Maharashtra
Contact: 9762629792; 8411815132

Archana Analytical Services

(Consultants for Environment, Health and Safety)

Udhyog Adhar Reg. No. MH15D0001832

Report No: AAS/VPM/AIR/July2021	Date of Report	25/07/2021
Client Name and Address: Vitthalrao Patil Mahavidyalaya (Arts, Commerce & Science) Kale, Tal-Panhala, Dist-Kolhapur, Maharashtra, 416205	Date of Sampling	20/07/2021
	Start Date of Analysis	20/07/2021
	End Date of Analysis	25/07/2021
	Sample Details	Room No. 8
	Nature of sample	Air Sample
Sample Collected By	Archana Analytical Services, Kolhapur.	
Air Sample Analysis Report		

RESULTS

Sr. No.	Description	Unit	Results	Factories act 1948 Schedule-II (Section 41F)	Reference Method
01	Date of Sampling	20/07/2021			
02	Test Location	Room No. 8			
03	Time of Sampling	Hrs	11.am		
04	PM2.5	µg/M ³	32.1	100(CPCB Standards)	IS 5182 Part 2:2001
05	PM10	µg/M ³	61.8	100(CPCB Standards)	IS 5182 Part 2:2001
06	Formaldehyde	ppm	0.7	2	GC-FID
07	Volatile Organic compounds (As Benzene)	ppm	9.5	25	GC-FID



AUTHORIZED SIGNATORY

Office address

'Sahejanand Appartement' 486/A/2, Jagadale Colony, Prathibha Nagar, Kolhapur.416008
Contact: 940555340,
Email:archana.ehs@gmail.com

Laboratory Address

DST-FIST Analytical Instrumentation Laboratory, Jaysingpur College, Jaysingpur-416101, Tal-Shirol, Dist-Kolhapur, Maharashtra
Contact: 9762629792; 8411815132

Archana Analytical Services

(Consultants for Environment, Health and Safety)

Udhyog Adhar Reg. No. MH15D0001832

Report No: AAS/VPM/AIR/July2021	Date of Report	25/07/2021
Client Name and Address: Vithalrao Patil Mahavidyalaya (Arts, Commerce & Science) Kale, Tal-Panhala, Dist-Kolhapur, Maharashtra, 416205	Date of Sampling	20/07/2021
	Start Date of Analysis	20/07/2021
	End Date of Analysis	25/07/2021
	Sample Details	Third Floor Corridor
	Nature of sample	Air Sample
Sample Collected By	Archana Analytical Services, Kolhapur.	
Air Sample Analysis Report		

RESULTS

Sr. No.	Description	Unit	Results	Factories act 1948 Schedule-II (Section 41F)	Reference Method
01	Date of Sampling	20/07/2021			
02	Test Location	Third Floor Corridor			
03	Time of Sampling	Hrs	11.15am		
04	PM2.5	$\mu\text{g}/\text{M}^3$	26.7	100(CPCB Standards)	IS 5182 Part 2:2001
05	PM10	$\mu\text{g}/\text{M}^3$	31.5	100(CPCB Standards)	IS 5182 Part 2:2001
06	Formaldehyde	ppm	0.4	2	GC-FID
07	Volatile Organic compounds (As Benzene)	ppm	3.4	25	GC-FID



AUTHORIZED SIGNATORY

Office address

'Sahejanand Appartement' 486/A/2, Jagadale Colony, Prathibha Nagar, Kolhapur.416008
Contact: 940555340,
Email:archana.ehs@gmail.com

Laboratory Address

DST-FIST Analytical Instrumentation Laboratory, Jaysingpur College, Jaysingpur-416101, Tal-Shirol, Dist-Kolhapur, Maharashtra
Contact: 9762629792; 8411815132

Archana Analytical Services

(Consultants for Environment, Health and Safety)

Udhyog Adhar Reg. No. MH15D0001832

Report No: AAS/VPM/AIR/July2021	Date of Report	25/07/2021
Client Name and Address: Vithalrao Patil Mahavidyalaya (Arts, Commerce & Science) Kale, Tal-Panhala, Dist-Kolhapur, Maharashtra, 416205	Date of Sampling	20/07/2021
	Start Date of Analysis	20/07/2021
	End Date of Analysis	25/07/2021
	Sample Details	Second Floor Corridor
	Nature of sample	Air Sample
Sample Collected By	Archana Analytical Services, Kolhapur.	
Air Sample Analysis Report		

RESULTS

Sr. No.	Description	Unit	Results	Factories act 1948 Schedule-II (Section 41F)	Reference Method
01	Date of Sampling	20/07/2021			
02	Test Location	Second Floor Corridor			
03	Time of Sampling	Hrs	11.30am		
04	PM2.5	$\mu\text{g}/\text{M}^3$	26.7	100(CPCB Standards)	IS 5182 Part 2:2001
05	PM10	$\mu\text{g}/\text{M}^3$	31.5	100(CPCB Standards)	IS 5182 Part 2:2001
06	Formaldehyde	ppm	0.4	2	GC-FID
07	Volatile Organic compounds (As Benzene)	ppm	3.4	25	GC-FID



AUTHORIZED SIGNATORY

Office address

'Sahejanand Appartement' 486/A/2, Jagadale Colony, Prathibha Nagar, Kolhapur.416008
Contact: 940555340,
Email:archana.ahs@gmail.com

Laboratory Address

DST-FIST Analytical Instrumentation Laboratory, Jaysingpur College, Jaysingpur-416101, Tal-Shirol, Dist-Kolhapur, Maharashtra
Contact: 9762629792; 8411815132

Archana Analytical Services


(Consultants for Environment, Health and Safety)

Udhyog Adhar Reg. No. MH15D0001832

Report No: AAS/VPM/AIR/July2021	Date of Report	25/07/2021
Client Name and Address: Vithalrao Patil Mahavidyalaya (Arts, Commerce & Science) Kale, Tal-Panhala, Dist-Kolhapur, Maharashtra, 416205	Date of Sampling	20/07/2021
	Start Date of Analysis	20/07/2021
	End Date of Analysis	25/07/2021
	Sample Details	Main Porch
	Nature of sample	Air Sample
Sample Collected By	Archana Analytical Services, Kolhapur.	
Air Sample Analysis Report		

RESULTS

Sr. No.	Description	Unit	Results	Factories act 1948 Schedule-II (Section 41F)	Reference Method
01	Date of Sampling	20/07/2021			
02	Test Location	Main Porch			
03	Time of Sampling	Hrs	11.45am		
04	PM2.5	$\mu\text{g}/\text{M}^3$	24.7	100(CPCB Standards)	IS 5182 Part 2:2001
05	PM10	$\mu\text{g}/\text{M}^3$	28.9	100(CPCB Standards)	IS 5182 Part 2:2001
06	Formaldehyde	ppm	0.3	2	GC-FID
07	Volatile Organic compounds (As Benzene)	ppm	3.2	25	GC-FID



AUTHORIZED SIGNATORY

Office address

'Sahejanand Appartement' 486/A/2, Jagadale Colony, Prathibha Nagar, Kolhapur.416008
Contact: 940555340,
Email:archana.ehs@gmail.com

Laboratory Address

DST-FIST Analytical Instrumentation Laboratory, Jaysingpur College, Jaysingpur-416101, Tal-Shirol, Dist-Kolhapur, Maharashtra
Contact: 9762629792; 8411815132

Archana Analytical Services

(Consultants for Environment, Health and Safety)

Udhyog Adhar Reg. No. MH15D0001832

Report No: AAS/VPM/AIR/July2021	Date of Report	25/07/2021
Client Name and Address: Vitthalrao Patil Mahavidyalaya (Arts, Commerce & Science) Kale, Tal-Panhala, Dist-Kolhapur, Maharashtra, 416205	Date of Sampling	20/07/2021
	Start Date of Analysis	20/07/2021
	End Date of Analysis	25/07/2021
	Sample Details	Office
	Nature of sample	Air Sample
Sample Collected By	Archana Analytical Services, Kolhapur.	
Air Sample Analysis Report		

RESULTS

Sr. No.	Description	Unit	Results	Factories act 1948 Schedule-II (Section 41F)	Reference Method
01	Date of Sampling	20/07/2021			
02	Test Location	Office			
03	Time of Sampling	Hrs	12.pm		
04	PM2.5	$\mu\text{g}/\text{M}^3$	26.7	100(CPCB Standards)	IS 5182 Part 2:2001
05	PM10	$\mu\text{g}/\text{M}^3$	31.5	100(CPCB Standards)	IS 5182 Part 2:2001
06	Formaldehyde	ppm	0.4	2	GC-FID
07	Volatile Organic compounds (As Benzene)	ppm	3.4	25	GC-FID



AUTHORIZED SIGNATORY

Office address

'Sahejanand Appartement' 486/A/2, Jagadale Colony, Prathibha Nagar, Kolhapur.416008
Contact: 940555340,
Email:archana.ehs@gmail.com

Laboratory Address

DST-FIST Analytical Instrumentation Laboratory, Jaysingpur College, Jaysingpur-416101, Tal-Shirol, Dist-Kolhapur, Maharashtra
Contact: 9762629792; 8411815132

Archana Analytical Services

(Consultants for Environment, Health and Safety)

Udhyog Adhar Reg. No. MH15D0001832

Report No: AAS/VPM/AIR/July2021	Date of Report	25/07/2021
Client Name and Address: Vitthalrao Patil Mahavidyalaya (Arts, Commerce & Science) Kale, Tal-Panhala, Dist-Kolhapur, Maharashtra, 416205	Date of Sampling	20/07/2021
	Start Date of Analysis	20/07/2021
	End Date of Analysis	25/07/2021
	Sample Details	Gymkhana
	Nature of sample	Air Sample
Sample Collected By	Archana Analytical Services, Kolhapur.	
Air Sample Analysis Report		

RESULTS

Sr. No.	Description	Unit	Results	Factories act 1948 Schedule-II (Section 41F)	Reference Method
01	Date of Sampling	20/07/2021			
02	Test Location	Gymkhana			
03	Time of Sampling	Hrs	12.15pm		
04	PM2.5	$\mu\text{g}/\text{M}^3$	28.9	100(CPCB Standards)	IS 5182 Part 2:2001
05	PM10	$\mu\text{g}/\text{M}^3$	32.4	100(CPCB Standards)	IS 5182 Part 2:2001
06	Formaldehyde	ppm	0.3	2	GC-FID
07	Volatile Organic compounds (As Benzene)	ppm	3.4	25	GC-FID



AUTHORIZED SIGNATORY

Office address

'Sahejanand Appartement' 486/A/2, Jagadale Colony, Prathibha Nagar, Kolhapur.416008
Contact: 940555340,
Email:archana.chs@gmail.com

Laboratory Address

DST-FIST Analytical Instrumentation Laboratory, Jaysingpur College, Jaysingpur-416101, Tal-Shirol, Dist-Kolhapur, Maharashtra
Contact: 9762629792; 8411815132

Archana Analytical Services

(Consultants for Environment, Health and Safety)

Udhyog Adhar Reg. No. MH15D0001832

Report No: AAS/VPM/AIR/July2021	Date of Report	25/07/2021
Client Name and Address: Vithalrao Patil Mahavidyalaya (Arts, Commerce & Science) Kale, Tal-Panhala, Dist-Kolhapur, Maharashtra, 416205	Date of Sampling	20/07/2021
	Start Date of Analysis	20/07/2021
	End Date of Analysis	25/07/2021
	Sample Details	Chemistry Lab
	Nature of sample	Air Sample
Sample Collected By	Archana Analytical Services, Kolhapur.	
Air Sample Analysis Report		

RESULTS

Sr. No.	Description	Unit	Results	Factories act 1948 Schedule-II (Section 41F)	Reference Method
01	Date of Sampling	20/07/2021			
02	Test Location	Chemistry Lab			
03	Time of Sampling	Hrs	12.30pm		
04	PM2.5	µg/M ³	27.8	100(CPCB Standards)	IS 5182 Part 2:2001
05	PM10	µg/M ³	34.6	100(CPCB Standards)	IS 5182 Part 2:2001
06	Formaldehyde	ppm	0.3	2	GC-FID
07	Volatile Organic compounds (As Benzene)	ppm	4.6	25	GC-FID



AUTHORIZED SIGNATORY

Office address

'Sahejanand Appartement' 486/A/2, Jagadale Colony, Prathibha Nagar, Kolhapur.416008
Contact: 940555340,
Email:archana.ehs@gmail.com

Laboratory Address

DST-FIST Analytical Instrumentation Laboratory, Jaysingpur College, Jaysingpur-416101, Tal-Shirol, Dist-Kolhapur, Maharashtra
Contact: 9762629792; 8411815132

Archana Analytical Services

(Consultants for Environment, Health and Safety)

Udhyog Adhar Reg. No. MH15D0001832

Report No: AAS/VPM/AIR/July2021	Date of Report	25/07/2021
Client Name and Address: Vitthalrao Patil Mahavidyalaya (Arts, Commerce & Science) Kale, Tal-Panhala, Dist-Kolhapur, Maharashtra, 416205	Date of Sampling	20/07/2021
	Start Date of Analysis	20/07/2021
	End Date of Analysis	25/07/2021
	Sample Details	Physics Lab
	Nature of sample	Air Sample
Sample Collected By	Archana Analytical Services, Kolhapur.	
Air Sample Analysis Report		

RESULTS

Sr. No.	Description	Unit	Results	Factories act 1948 Schedule-II (Section 41F)	Reference Method
01	Date of Sampling	20/07/2021			
02	Test Location	Physics Lab			
03	Time of Sampling	Hrs	12.45pm		
04	PM2.5	µg/M ³	26.8	100(CPCB Standards)	IS 5182 Part 2:2001
05	PM10	µg/M ³	30.7	100(CPCB Standards)	IS 5182 Part 2:2001
06	Formaldehyde	ppm	0.2	2	GC-FID
07	Volatile Organic compounds (As Benzene)	ppm	3.8	25	GC-FID



AUTHORIZED SIGNATORY

Office address

'Sahejanand Appartment' 486/A/2, Jagadale Colony, Prathibha Nagar, Kolhapur.416008
Contact: 940555340,
Email:archana.ehs@gmail.com

Laboratory Address

DST-FIST Analytical Instrumentation Laboratory, Jaysingpur College, Jaysingpur-416101, Tal-Shirol, Dist-Kolhapur, Maharashtra
Contact: 9762629792; 8411815132

Archana Analytical Services

(Consultants for Environment, Health and Safety)

Udhyog Adhar Reg. No. MH15D0001832

Report No: AAS/VPM/AIR/July2021	Date of Report	25/07/2021
Client Name and Address: Vithalrao Patil Mahavidyalaya (Arts, Commerce & Science) Kale, Tal-Panhala, Dist-Kolhapur, Maharashtra, 416205	Date of Sampling	20/07/2021
	Start Date of Analysis	20/07/2021
	End Date of Analysis	25/07/2021
	Sample Details	Ground Area
	Nature of sample	Air Sample
Sample Collected By	Archana Analytical Services, Kolhapur.	
Air Sample Analysis Report		

RESULTS

Sr. No.	Description	Unit	Results	Factories act 1948 Schedule-II (Section 41F)	Reference Method
01	Date of Sampling	20/07/2021			
02	Test Location	Ground Area			
03	Time of Sampling	Hrs	1.pm		
04	PM2.5	$\mu\text{g}/\text{M}^3$	24.7	100(CPCB Standards)	IS 5182 Part 2:2001
05	PM10	$\mu\text{g}/\text{M}^3$	27.8	100(CPCB Standards)	IS 5182 Part 2:2001
06	Formaldehyde	ppm	0.2	2	GC-FID
07	Volatile Organic compounds (As Benzene)	ppm	2.9	25	GC-FID



AUTHORIZED SIGNATORY

Office address

'Sahejanand Appartement' 486/A/2, Jagdale Colony, Prathibha Nagar, Kolhapur.416008
Contact: 940555340,
Email:archana.ehs@gmail.com

Laboratory Address

DST-FIST Analytical Instrumentation Laboratory, Jaysingpur College, Jaysingpur-416101, Tal-Shirol, Dist-Kolhapur, Maharashtra
Contact: 9762629792; 8411815132

Archana Analytical Services

(Consultants for Environment, Health and Safety)

Udhyog Adhar Reg. No. MH15D0001832

Report No: AAS/VPM/Lux/July2021	Date of Report	25/07/2021
Client Name and Address: Vitthalrao Patil Mahavidyalaya (Arts, Commerce & Science) Kale, Tal-Panhala, Dist-Kolhapur, Maharashtra, 416205	Date of Sampling	20/07/2021
	Start Date of Analysis	20/07/2021
	End Date of Analysis	25/07/2021
	Sample Details	Illumination
	Nature of sample	Lux Level
Sample Collected By	Archana Analytical Services, Kolhapur.	

Illumination Observations Analysis Report

Result

Illumination Observations				
Name of Institution	Vitthalrao Patil Mahavidyalaya [VPM]		Date: 20/07/2021	
	Location	Existing Illumination In LUX	Require Lux as per MFR and IS:6665	Remark
Vitthalrao Patil Mahavidyalaya [VPM]	Room No.8	370	100	Adequate
	Third Floor Corridor	340	100	Adequate
	Second Floor Corridor	360	100	Adequate
	Main Porch	750	100	Adequate
	Office	320	100	Adequate
	Staff Room	340	100	Adequate
	Gymkhana	350	100	Adequate
	IQAC Room	380	100	Adequate
	Exam Room	390	100	Adequate
	Principle Room	310	100	Adequate
	Physics Lab	360	100	Adequate
	Chemistry Lab	310	100	Adequate
	Ground	840	100	Adequate
	Parking Area	550	100	Adequate

AUTHORIZED SIGNATORY

Office address

'Sahejanand Appartement' 486/A/2, Jadgadale Colony, Prathibha Nagar, Kolhapur.416008
Contact: 940555340,
Email:archana.chs@gmail.com

Laboratory Address

DST-FIST Analytical Instrumentation Laboratory, Jaysingpur College, Jaysingpur-416101, Tal-Shirol, Dist-Kolhapur, Maharashtra
Contact: 9762629792; 8411815132

Archana Analytical Services

(Consultants for Environment, Health and Safety)

Udhyog Adhar Reg. No. MH15D0001832

Report No: AAS/VPM/Vent/July2021	Date of Report	25/07/2021
Client Name and Address: Vitthalrao Patil Mahavidyalaya (Arts, Commerce & Science) Kale, Tal-Panhala, Dist-Kolhapur, Maharashtra, 416205	Date of Sampling	20/07/2021
	Start Date of Analysis	20/07/2021
	End Date of Analysis	25/07/2021
	Sample Details	Ventilation
	Nature of sample	Ventilation
Sample Collected By	Archana Analytical Services, Kolhapur.	

Ventilation Observations Analysis Report

Result

Ventilation Observations					
Name of Institution	Vitthalrao Patil Mahavidyalaya [VPM]		Date: 20/07/2021		
	Location	Measured Air Velocity Mt/Sec	Measured Air Velocity Mt/Min	Required as per FA in Mt/Min	Remark
Vitthalrao Patil Mahavidyalaya [VPM]	Room No.8	0.7	42	30	Adequate
	Third Floor Corridor	0.6	36	30	Adequate
	Second Floor Corridor	0.7	42	30	Adequate
	Main Porch	0.6	36	30	Adequate
	Office	0.7	42	30	Adequate
	Staff Room	0.7	42	30	Adequate
	Gymkhana	0.7	42	30	Adequate
	IQAC Room	0.6	36	30	Adequate
	Exam Room	0.7	42	30	Adequate
	Principle Room	0.7	42	30	Adequate
	Physics Lab	0.6	36	30	Adequate
	Chemistry Lab	0.7	42	30	Adequate
	Ground	0.6	36	30	Adequate
	Parking Area	0.7	42	30	Adequate

AUTHORIZED SIGNATORY

Office address

'Sahejanand Appartement' 486/A/2, Jagdale Colony, Prathibha Nagar, Kolhapur.416008
Contact: 940555340,
Email:archana.ehs@gmail.com

Laboratory Address

DST-FIST Analytical Instrumentation Laboratory, Jaysingpur College, Jaysingpur-416101, Tal-Shirol, Dist-Kolhapur, Maharashtra
Contact: 9762629792; 8411815132

Archana Analytical Services

(Consultants for Environment, Health and Safety)


Udhyog Adhar Reg. No. MH15D0001832

Report No: AAS/VPM/Noise/July2021	Date of Report	25/07/2021
Client Name and Address: Vitthalrao Patil Mahavidyalaya (Arts, Commerce & Science) Kale, Tal-Panhala, Dist-Kolhapur, Maharashtra, 416205	Date of Sampling	20/07/2021
	Start Date of Analysis	20/07/2021
	End Date of Analysis	25/07/2021
	Sample Details	Noise
	Nature of sample	Noise
Sample Collected By	Archana Analytical Services, Kolhapur.	
Ventilation Observations Analysis Report		

Result

Noise level Observations			
Name of Institution	Vitthalrao Patil Mahavidyalaya [VPM]		Date: 20/07/2021
	location	Measured Noise level (Category Silent Zone)	Limit as per (under rule 3(1) and 4(1) of Noise pollution (Control and Regulation), Rules 1999 (Day Time) MPCB
Vitthalrao Patil Mahavidyalaya [VPM]	Room No.8	42	50
	Third Floor Corridor	40	50
	Second Floor Corridor	44	50
	Main Porch	46	50
	Office	40	50
	Staff Room	41	50
	Gymkhana	42	50
	IQAC Room	40	50
	Exam Room	39	50
	Principle Room	40	50
	Physics Lab	41	50
	Chemistry Lab	42	50
	Ground	47	50
	Parking Area	44	50

AUTHORIZED SIGNATORY



Office address

'Sahejanand Appartment' 486/A/2, Jadgadale Colony, Prathibha Nagar, Kolhapur.416008
Contact: 940555340,
Email:archana.ehs@gmail.com

Laboratory Address

DST-FIST Analytical Instrumentation Laboratory, Jaysingpur College, Jaysingpur-416101, Tal-Shirol, Dist-Kolhapur, Maharashtra
Contact: 9762629792; 8411815132

Archana Analytical Services

(Consultants for Environment, Health and Safety)

Udhyog Adhar Reg. No. MH15D0001832

Ref: AAS/VPM/GA 2021-22

Date:25/07/2021

TO WHOMEVER IT MAY CONSERN

We , Archana Analytical Services, conducted Green Audit 2021-2022 for Vitthalrao Patil Mahavidyalaya (Arts, Commerce & Science) Kale, Tal-Panhala, Dist-Kolhapur, Maharashtra, 416205. This is declared that Green Audit is conducted as per the norms of Ministry of Environment and Forest, Govt. of India and allied agencies whereas applicable. Green Audit is replication of data given by institution and its actual onsite visit verification.



Dr. Vikas V Jadhav

Office address

'Sahejanand Appartment' 486/A/2, Jagdale Colony, Prathibha Nagar, Kolhapur.416008
Contact: 940555340,
Email:vivijadhav@gmail.com

Laboratory Address

DST-FIST Analytical Instrumentation Laboratory,
Jaysingpur College, Jaysingpur-416101,
Tal-Shirol, Dist-Kolhapur, Maharashtra